

AMENDED

Nº 43792

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... MAY 27 1981
Returned to applicant for correction..... AUG 7 1981
Corrected application filed..... SEP 11 1981
Map filed..... SEP 22 1981

The applicant Pahrump Concrete Inc.
P.O. Box 453, of Pahrump,
Street and No. or P.O. Box No. City or Town
Nevada 89041, hereby make application for permission to appropriate the public
State and Zip Code No. waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion; if a copartnership or association, give names of members.) Incorporated in 1974 in Pahrump,
Nevada

1. The source of the proposed appropriation is Pahrump Valley Artesion Basin
Name of stream, lake or other source.
2. The amount of water applied for is 1.00 C.F.S. second-feet
One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet..... acre-feet
3. The water to be used for Commercial
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
(a) Irrigation (state number of acres to be irrigated).....
(b) Stockwater (state number and kinds of animals to be watered).....
(c) Other use (describe fully under "No. 12. Remarks").....
(d) Power:
(1) Horsepower developed.....
(2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point: within the Southeast Quarter (SE¼)
of the Northeast Quarter (NE¼) of Section 24, T. 20 S., R. 53 E. M.D.M. the E¼
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
Corner of said Section 24 bears S 43° 20' 45" E a distance of 944.22 feet.
it should be stated.
6. Place of use NE¼ SE¼ NE¼ of section 24, T. 20 S., R. 53 E. M.D.M.
Describe by legal subdivision, if on unsurveyed land it should be so stated.
7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 250' of 8" well casing 7½ horse pump
150 Gal. pressure tank and 1" service lines
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works.....\$10,000.00
10. Estimated time required to construct works.....1 years
If well completed, describe works.
11. Estimated time required to complete the application to beneficial use.....3 years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
- Cement plant for sand washers and mixer
- Estimate consumption
- 3000 Gal per hour
- 24000 Gal per 8 hours
- 120,000 Gal per week
- 6,240,000 Gal per year

By s/Richard L. Hafen
2383 Gateway Rd.
Signature applicant or agent
Las Vegas, Nevada 89115

Compared sg/dh bt/bc

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.0 cubic feet per second, but not to exceed 6.24 million gallons annually.

Actual construction work shall begin on or before N/A

Proof of commencement of work shall be filed before N/A

Work must be prosecuted with reasonable diligence and be completed on or before January 26, 1983

Proof of completion of work shall be filed before February 26, 1983

Application of water to beneficial use shall be made on or before January 26, 1986

Proof of the application of water to beneficial use shall be filed on or before February 26, 1986

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed MAR 19 1987

Completion of work filed APR 30 1990

Proof of beneficial use filed

Cultural map filed

Certificate No. 13559 Issued DEC 30 1992

IN TESTIMONY WHEREOF, I PETER G. MORROS
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 26th day of JANUARY
A.D. 1982

Peter G. Morros
State Engineer